

SOUTHERN NEVADA BUILDING OFFICIALS
REGIONAL STANDARDS

B-114

2-5-2019

PG. 1 OF 1

WROUGHT IRON FENCE


2018 IBC

Clark County
Dept. of Building & Fire Prevention
4701 W Russell Rd
Las Vegas, NV 89118
(702) 455-3000

Boulder City
Building Department
401 California Avenue
Boulder City, NV 89005
(702) 293-9282

Henderson
Building & Fire Safety Dept.
240 Water Street
Henderson, NV 89015
(702) 267-3650

Las Vegas
Building & Safety Dept.
333 N. Rancho Drive
Las Vegas, NV 89106
(702) 229-6251



WROUGHT IRON FENCE NOTES:

1. PROVIDE FULL WELDS AT ALL PICKETS, TOP AND BOTTOM RAILS & ALL POST AND RAIL CONNECTIONS.
2. FENCE SHALL REMAIN OPEN, NO COVERINGS ALLOWED TO BE ATTACHED TO THE FENCE.
3. ALL FENCE COMPONENTS SHALL BE PRIMED AND COATED FOR EXPOSURE.

North Las Vegas
Building & Fire Safety
2250 Las Vegas Blvd. N
N. Las Vegas, NV 89030
(702) 633-1577

Pahrump
Building & Fire Safety Dept.
250 N Hwy 160 Suite #3
Pahrump, NV 89060
(775) 751-3373

Clark County School District
Building Department
4190 McLeod Drive, 1st Floor
Las Vegas, NV 89121
(702) 799-7605